


Please note: This document was revised on 4/20/2011 to correct prenatal care percentage data for all counties.

Framework for a Healthy New Mexico



Health Indicator Results for Bernalillo County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	191.5	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	26.6	++	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	28.2	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	19.2	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	50.9	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	28.4	--	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	12.8	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19.1	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	17.3%	++	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	20.9%	++	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	53.4%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	8.9%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	55.0%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	22.8%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	72.4%	++	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	49.2%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	581	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	21.0%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.1%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	63.1%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Catron County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	127.3	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	18.9	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	0	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	9.6	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	51.3	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	17.7	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	27.8	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19.8	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	18.8%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	17.7%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	72.6%	++	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	7.2%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**		53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	32.0%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	43.6%	-	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	858	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	40.9%	--	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	8.5%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	79.6%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Chaves County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	218.4	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	36.4	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	42.3	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	17.4	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	53.6	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	24.8	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	23.1	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.2	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	25.5%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	19.4%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	55.2%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.7%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	43.9%	--	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	27.7%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	65.8%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	59.5%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	863	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	27.9%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	6.6%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	62.8%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Cibola County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	176.7	+	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	58.2	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	42.2	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	27	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	78.1	--	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	15.2	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	28.9	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.3	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	21.3%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	28.4%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	50.9%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	14.4%	-	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	42.5%	--	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	21.6%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	64.0%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	49.5%	-	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	756	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	35.4%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	6.6%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	48.5%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Colfax County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	198.7	+	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	18.4	++	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	25.6	+	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	32.2	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	55	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	20.7	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	15.9	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	24.2%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	23.0%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	57.8%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	10.5%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	54.4%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	24.9%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	73.0%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	65.3%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1077	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	27.8%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.3%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	50.7%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Curry County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	292.6	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	31.1	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	51.8	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	18.5	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	35.8	++	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	14.4	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	17.8	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	24.2%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	27.2%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	55.9%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	14.8%	-	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	43.8%	--	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	27.0%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	69.0%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	59.1%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1184	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	26.8%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	4.3%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	76.7%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for De Baca County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	192.5	+	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	21.4	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	5.5	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	25	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	40.4	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	15.1	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	80.9	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19.7	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	**		20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	18.4%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	66.7%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	13.5%	=	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**		53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	32.8%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	58.8%	+	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	931	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	31.4%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	4.8%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	69.9%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Dona Ana County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	174	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	35.3	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	46.3	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	21.7	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	37	++	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	16.5	++	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	10	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.9	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	17.9%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	18.8%	++	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	53.7%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.0%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	47.9%	--	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	33.5%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	66.1%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	49.8%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1151	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	36.7%	--	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.0%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	51.3%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Eddy County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	252.2	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	37	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	39.5	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	15.6	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	49.2	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	28.3	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	24.4	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.1	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	22.3%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	31.9%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	51.8%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	14.1%	-	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	53.1%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	23.6%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	72.9%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	55.4%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1569	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	19.5%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	5.5%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	69.7%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Grant County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	210.8	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	24.6	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	37.6	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	23.9	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	56.4	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	34.4	--	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	14.9	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.6	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	22.8%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	25.2%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	59.1%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.5%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	48.4%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	23.3%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	68.4%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	63.0%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	882	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	28.6%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	12.2%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	79.3%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Guadalupe County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	384.4	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	37.6	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	21.3	+	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	10.8	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	101.8	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	27.1	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	31	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	17.9	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	**		20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	19.9%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	72.7%	++	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	18.7%	--	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**		53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	25.0%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	68.2%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1440	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	32.0%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.6%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	94.2%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Harding County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	101.1	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	**		32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	41.7	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	16.9	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	30.9	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	0	++	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	0	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	22.1	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	**		20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	**		24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	**		54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	1.6%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	25.1%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	66.7%	+	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	668	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	22.8%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	4.5%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	90.3%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Hidalgo County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	192.9	+	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	40	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	25.1	+	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	24.4	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	72.2	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	21.2	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	26.4	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.3	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	**		20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	21.7%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	54.4%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	12.8%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**		53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	27.9%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	36.4%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	5043	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	31.5%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.6%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	68.8%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Lea County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	206.1	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	24.2	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	65.2	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	29.4	--	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	40.3	++	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	17	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	30.1	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.1	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	23.0%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	27.3%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	53.1%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	14.2%	-	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	42.8%	--	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	32.3%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	64.1%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	48.0%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1907	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	19.0%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.6%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	71.9%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Lincoln County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	141	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	30.6	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	28.2	+	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	7.6	++	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	35.3	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	16.5	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	15.6	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	20.1	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	22.5%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	21.4%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	54.2%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	10.9%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	51.2%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	32.8%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	68.7%	=	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	58.2%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1163	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	30.2%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	5.5%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	77.7%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Los Alamos County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	123.6	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	4.9	++	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	3.7	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	25.1	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	22.7	++	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	12.8	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	6.5	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	21.2	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	6.7%	++	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	17.7%	++	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	57.2%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	6.2%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	58.4%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	10.4%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	77.1%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	78.3%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	456	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	2.9%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	3.2%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	81.5%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Luna County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	325.8	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	42.6	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	53.3	--	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	10.4	++	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	39	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	6.5	++	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	29.2	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	18.7%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	22.6%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	46.1%	--	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.3%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	41.4%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	34.5%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	58.6%	--	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	43.6%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	2258	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	47.6%	--	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	16.5%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	69.9%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for McKinley County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	212.2	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	78.8	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	26.8	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	39.3	--	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	116.4	--	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	12.7	++	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	38.1	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	17.8	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	17.0%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	27.8%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	47.1%	--	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	15.4%	--	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	57.2%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	30.8%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	70.5%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	45.5%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	749	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	38.9%	--	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	8.0%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	52.2%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Mora County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	310.6	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	52.4	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	14.1	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	16.3	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	36.7	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	12.8	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	15.9	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	14.6%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	26.9%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	47.7%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	10.4%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**		53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	24.6%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	60.2%	+	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	4998	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	35.0%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	12.3%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	88.1%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Otero County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	293.4	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	47.5	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	20.1	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	18.3	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	38.3	++	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	19.7	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	9.3	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	21.2%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	22.7%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	50.0%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	12.1%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	51.2%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	33.2%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	66.4%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	48.2%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1347	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	29.2%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	6.4%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	68.5%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Quay County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	192.7	+	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	19.1	++	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	44.1	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	15.2	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	68.9	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	21.8	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	18.6	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.8	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	24.1%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	29.8%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	48.5%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	13.5%	=	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	46.3%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	22.6%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	70.7%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	41.9%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1121	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	37.2%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	6.3%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	56.4%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Rio Arriba County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	219.1	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	64.2	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	34.7	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	28	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	104.1	--	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	52.2	--	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	34.4	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.2	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	21.8%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	25.5%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	50.5%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	13.7%	-	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	46.6%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	28.5%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	68.5%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	60.9%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1310	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	25.5%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.3%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	49%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Roosevelt County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	257.9	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	41.7	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	39	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	9.6	++	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	25.8	++	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	9.1	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	16.4	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	26.8%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	19.8%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	61.0%	++	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.6%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	42.5%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	28.5%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	66.3%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	52.5%	+	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1562	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	28.9%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	4.6%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	79.7%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Sandoval County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	211.6	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	32.9	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	16.8	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	21.4	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	47.6	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	18.1	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	14	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.7	=	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	18.7%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	**		24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	**		54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	**		13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	54.0%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	22.1%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	69.8%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	52.0%	+	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1093	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	15.7%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	8.2%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	70.5%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for San Juan County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	168.4	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	33.4	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	32.9	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	20.9	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	62.7	--	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	16.6	++	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	27.5	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18.5	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	27.1%	--	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	24.0%	--	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	49.5%	--	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	15.3%	--	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	56.0%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	30.2%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	66.9%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	50.2%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1236	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	24.9%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.6%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	57.4%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for San Miguel County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	221.8	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	57.6	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	24.8	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	23.6	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	66.8	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	26.8	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	24.5	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	17.8	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	20.2%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	24.2%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	58.3%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.0%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	51.7%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	20.9%	++	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	59.5%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	66.6%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	887	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	33.6%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	7.1%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	73.3%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Santa Fe County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	180.3	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	23.4	++	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	25.5	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	16.8	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	53.6	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	19.6	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	17.8	+	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19.6	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	17.4%	+	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	24.2%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	53.3%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	9.6%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	57.5%	++	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	30.2%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	66.3%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	65.2%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	616	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	19.2%	++	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	6.2%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	54.7%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Sierra County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	266.6	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	55.7	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	21.9	+	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	18.6	+	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	48.4	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	24	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	10.3	++	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	17.7	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	24.6%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	29.6%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	44.6%	--	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	12.6%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	38.6%	--	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	23.4%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	63.2%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	41.9%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	3176	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	43.5%	--	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	5.4%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	54.1%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Socorro County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	247.1	-	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	45.1	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	41.1	-	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	24	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	64.6	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	23.9	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	32.2	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	17.4	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	21.5%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	31.9%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	49.8%	-	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.6%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	47.5%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	29.6%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	65.3%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	50.5%	-	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	1134	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	38.9%	--	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	5.0%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	65%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Taos County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	180	+	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	61.1	--	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	22.4	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	26.7	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	72.8	--	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	29.7	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	37.9	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	19.3	+	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	21.8%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	25.2%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	54.1%	=	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	11.2%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	54.8%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	32.1%	--	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	64.7%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	62.7%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	553	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	29.1%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	8.5%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	47%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Tarrant County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	312.4	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	33.9	-	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	11.9	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	28	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	73.6	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	21.1	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	34.6	--	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	16.5	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	31.3%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	19.8%	+	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	55.8%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	10.5%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	43.2%	-	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	24.3%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	65.0%	-	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	42.7%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	8164	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	36.5%	-	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	8.9%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	72.2%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Union County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	123.8	++	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	15	++	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	16.3	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	58.3	--	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	27.9	+	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	5.5	+	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	26.7	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	18	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	4.6%	++	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	42.3%	--	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	54.7%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	8.0%	++	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	**		53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	29.4%	-	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	**		68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	69.5%	++	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	624	+	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	24.8%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	5.0%	+	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	88.5%	+	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available.

Health Indicator Results for Valencia County

Measure	Description	Data Years	County	County Compared to NM	New Mexico	U.S.
Health Outcomes						
Heart Disease Death Rate	Deaths per 100,000 Population	2007-2009	277.5	--	203.8	190.9
Diabetes Death Rate	Deaths per 100,000 Population	2007-2009	28.3	+	32.6	21.8
Teen Birth Rate	Births per 1,000 Girls, Age 15-17	2007-2009	23.9	++	31.6	20.1
Influenza and Pneumonia Death Rate	Deaths per 100,000 Population	2006-2009	27.4	-	20.6	17.5
Alcohol-Related Death Rate	Deaths per 100,000 Population	2007-2009	55.3	-	52.9	28.1
Drug-Induced Death Rate	Deaths per 100,000 Population	2007-2009	26	-	22.8	12.7
Motor Vehicle Traffic Crash Death Rate	Deaths per 100,000 Population	2005-2009	23.1	-	18.3	13.8
Life Expectancy from Age 65	Number of Years	2005-2009	17.1	-	18.7	17.7
Risk and Resiliency Factors						
Adult Smoking	Percentage of Adults	2006-2008	22.2%	-	20.1%	19.8%
Youth Smoking	Percentage of Youth Grades 9-12	2009	27.0%	-	24.0%	19.5%
Caring and Supportive Family Relationship	Percentage of Youth Grades 9-12	2009	57.2%	+	54.1%	NA
Youth Obesity	Percentage of Youth Grades 9-12	2001-2009 (odd years)	12.8%	+	13.5%	12.0%
Adult Physical Activity	Percentage of Adults	2005, 2007	53.5%	+	53.3%	49.5%
Health System Factors						
Health Insurance Coverage	Percentage Uninsured	2007	25.7%	+	26.7%	17.1%
Influenza Vaccination	Percentage of Adults Age 65+	2005-2009	69.6%	+	68.7%	70.1%
Prenatal Care in the First Trimester	Percentage of Live Births	2008-2009	48.0%	--	52.0%	42.9%
Primary Care Provider Ratio	Population per Primary Care Provider	2008	2679	-	832	NA
Demographic Characteristics						
Children (Under Age 18) Living in Poverty	Percentage of Children	2009	28.2%	+	28.8%	20.0%
Unemployment Rate	Percentage of Civilian Labor Force	2009	8.1%	-	7.2%	9.3%
New Mexico High School Graduation Rate	% 9 th -graders Graduating in 4-5 Years	2008	59.1%	-	60.3%	NA

++ County significantly better than NM + County better than NM - County worse than NM -- County significantly worse than NM = County and NM are equal

**Small sample or population size precluded publication of this rate.

NA: Comparable U.S. data for this measure and time period are not available

About the Indicators

Heart Disease Death Rate

Why Is It Important? Diseases of the heart is the leading cause of death in New Mexico and is a major source of disability.

Definition. Diseases of the heart includes a variety of diseases and conditions that affect the heart, such as coronary heart disease and congestive heart failure. Age-adjusted to U.S. standard population. U.S. value is 2007.

Data Sources. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>. New Mexico Death Data: Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health. U.S. Data Source: Centers for Disease Control and Prevention, National Center for Health Statistics. <http://www.cdc.gov/nchs/>.

Diabetes Death Rate

Why Is It Important? Diabetes was the 6th leading cause of death in New Mexico in 2009.

Definition. Diabetes deaths are the number of deaths attributed to diabetes per 100,000 people. Age-adjusted to U.S. 2000 population. US rate used for comparison is the preliminary 2008 rate.

Data Sources. New Mexico Death Data: Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>.

Diabetes Prevention and Control Program (DPCP) works to reduce the impact of diabetes and improve the quality of life for all New Mexicans with diabetes. The DPCP conducts diabetes surveillance and program planning which focuses on state wide prevention and activities that help people manage their diabetes.

Teen Birth Rate

Why Is It Important? Early pregnancy and childbearing is closely linked to critical social issues, including poverty and income disparity and overall child well-being.

Definition. Teen Birth Rate is the number of births to females in the age group per 1,000 of the age group female population.

Data Sources. Birth Certificate Data, Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health. National Vital Statistics System (NVSS) public use data file. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>.

Family Planning Program (FPP) provides comprehensive family planning services, including clinic-based services and community education and outreach, to promote health and reproductive responsibility. The five strategies to reduce teen pregnancy are: family planning clinical services, comprehensive sex education, male involvement, adult-teen communication and service learning programs.

Influenza and Pneumonia Death Rate

Why Is It Important? Pneumonia and/or influenza as underlying causes of death were the 10th leading cause of death in New Mexico in 2009, and were the 4th and 7th leading causes for young children (1-4 years) and older adults (85+ years), respectively.

Definition. Deaths from influenza and pneumonia (underlying cause with ICD10: J09-J18) per 100,000 population. rates have been age-adjusted to the U.S. 2000 standard population. U.S. data are for 2007.

Data Sources. New Mexico Death Data: Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>.

Adult Influenza Vaccination Program provides annual influenza vaccination for adults identified as high-risk for complications from influenza infection. Influenza vaccine is targeted to those who are uninsured, or face other barriers in getting this important protection.

Alcohol-Related Death Rate

Why Is It Important? Excessive alcohol consumption contributes to many different poor health outcomes, including death.

Definition. Alcohol-related death is defined as the number of deaths attributed to alcohol per 100,000 population. The alcohol-related death rates reported here were age-adjusted to the US 2000 standard population. NOTE: The U.S. rate reported here is for 2005-2007, the most recent comparable period for which U.S. death data is available.

Data Sources. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>. New Mexico Death Data: Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health. U.S. Data Source: Centers for Disease Control and Prevention, National Center for Health Statistics. <http://www.cdc.gov/nchs/>.

Substance Abuse Epidemiology Program develops, analyzes and interprets data related to alcohol consumption, excessive alcohol use, and alcohol-related harm. This includes on-going surveillance of alcohol-related injury and chronic disease, and

special studies on alcohol-related issues of particular relevance to New Mexico (e.g., chronic liver disease). Other roles include collaboration with community, state, and federal groups to promote effective alcohol-related prevention strategies; and epidemiological support for alcohol-related policy and programmatic initiatives at the state and federal levels.

Drug-Induced Death Rate

Why Is It Important? New Mexico is among the top U.S. states for drug-induced death, due largely to the high rates of unintentional drug poisoning or overdose.

Definition. Drug-induced death is defined as the number of deaths caused by drugs per 100,000 population. Drug-induced deaths are those in which drugs are the primary cause, whether unintentional or intentional. Death rates were age-adjusted to the 2000 U.S. standard population.

Data Sources. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>. New Mexico Death Data: Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health.

Substance Abuse Epidemiology Program develops, analyzes, and interprets data related to drug use, abuse and overdose death. This includes surveillance of illicit and prescription drug use and associated negative health outcomes. The goal is to synthesize and share information with other entities and community stakeholders to inform service provision, policy and prevention efforts, and to identify and track emerging trends of concern.

Motor Vehicle Traffic Crash Death Rate

Why Is It Important? Motor vehicle traffic crashes are the leading cause of injury death for people 1 to 34 years of age and people 55 to 64 years of age in New Mexico.

Definition. Motor vehicle traffic crash-related death rate is the number of deaths due to motor vehicle traffic crashes per 100,000 population. Rates have been age-adjusted to the U.S. 2000 standard population. U.S. value is from 2007.

Data Sources. U.S. Data: Web-based Injury Statistics Query and Reporting System (WISQARS) Data Source: National Center for Health Statistics System for numbers of deaths. Census Bureau for population estimates. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>.

Office of Injury Prevention works to develop and strengthen policies and their implementation to reduce motor vehicle crash deaths and injuries statewide. It also conducts annual passenger restraint usage surveillance to inform restraint use promotion efforts and reviews child fatalities to propose recommendations to reduce transportation-related deaths among children.

Life Expectancy from Age 65

Why Is It Important? Life Expectancy is often used to gauge the overall health of a community.

Definition: Life expectancy is an estimate of the expected average number of years of life (or a person's age at death) for individuals who were born into a particular population. Life expectancy at birth measures health status across all age groups. Life expectancy at age 65 is often used as a measure of a healthy adult population.

Data Sources. New Mexico Death Data: Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health. National Vital Statistics System (NVSS) public use data file. Population Source: Bureau of Business and Economic Research (BBER) Population Estimates, University of New Mexico. <http://www.unm.edu/~bber/>.

Adult Smoking

Why Is It Important? Smoking is the leading preventable cause of death in the United States. About half of all lifetime smokers will die early because of their decisions to smoke.

Definition. A current smoker is defined as a person 18 years or older who has smoked more than 100 cigarettes in his or her lifetime and currently smokes every day or some days.

Data Sources. Behavioral Risk Factor Surveillance System Survey Data, U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, together with New Mexico Department of Health, Injury and Behavioral Epidemiology Bureau.

Tobacco Use Prevention and Control Program (TUPAC) is a comprehensive, evidence-based tobacco use prevention and cessation program. TUPAC is responsible for leading and coordinating strategic efforts aimed at preventing tobacco use among youth, promoting smoking cessation among youth and adults, protecting nonsmokers from environmental tobacco smoke, and eliminating tobacco-related health disparities.

Youth Smoking

Why Is It Important? One in five adults and one in four youth smoke in New Mexico.

Definition. A current smoker is defined as a youth in grades 9-12 in a NM public high school who smoked cigarettes on one or more days in the past month.

Data Sources. New Mexico Youth Risk and Resiliency Survey, New Mexico Department of Health and Public Education Department.

Tobacco Use Prevention and Control Program (TUPAC) is a comprehensive, evidence-based tobacco use prevention and

cessation program. TUPAC is responsible for leading and coordinating strategic efforts aimed at preventing tobacco use among youth, promoting smoking cessation among youth and adults, protecting nonsmokers from environmental tobacco smoke, and eliminating tobacco-related health disparities.

Caring and Supportive Family Relationship

Why Is It Important? Youth who report interactions with parents or guardians that convey love, acceptance, and affirmation are less likely to use alcohol, drugs, or tobacco; to be involved in violence; to experience suicidal ideation; or to engage in high risk sexual practices.

Definition. Students in grades 9-12 who reported that they had a parent or some other adults who was interested in them, talks with them about their problems, and listens to them when they have something to say.

Data Sources. New Mexico Youth Risk and Resiliency Survey, New Mexico Department of Health and Public Education Department.

Youth Obesity

Why Is It Important? Overweight and obese youth are at increased risk of exhibiting chronic disease risk factors such as diabetes, high blood pressure and high cholesterol as youth and into adulthood.

Definition. The adolescent obesity prevalence is reported as the percent of YRRS respondents whose self-reported height and weight corresponds to a Body Mass Index (BMI) equal to or greater than the 95th percentile for their age and sex. Body Mass Index is a measure of a person's weight in relationship to height. Because youth are still growing, their BMI is plotted against CDC's BMI-for-age growth charts to determine the percentile that is used in defining adolescent obesity.

Data Sources. New Mexico Youth Risk and Resiliency Survey, New Mexico Department of Health and Public Education Department.

Office of Nutrition and Physical Activity: Healthy Kids Initiative develops, coordinates, and supports healthy eating and physical activity policies and initiatives, including two specific comprehensive Healthy Kids community pilot projects in Las Cruces and Chavez Counties.

Adult Physical Activity

Why Is It Important? Physical activity has numerous benefits, including reducing risk of heart disease and stroke, improving physical fitness, bone health and mental health, preventing high blood pressure, abnormal cholesterol, pre-diabetes and diabetes, maintaining health weight and increasing mobility.

Definition. Among adults, physical activity recommendations include 30 minutes of moderate intensity activities 5 or more days of the week OR 20 minutes of vigorous intensity activities 3 or more days of the week.

Data Sources. Behavioral Risk Factor Surveillance System Survey Data, U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, together with New Mexico Department of Health, Injury and Behavioral Epidemiology Bureau.

Office of Nutrition and Physical Activity: Healthy Kids Initiative develops, coordinates, and supports healthy eating and physical activity policies and initiatives, including two specific comprehensive Healthy Kids community pilot projects in Las Cruces and Chavez Counties.

Health Insurance Coverage

Why Is It Important? Lack of health insurance coverage has been associated with delayed access to health care and increased risk of chronic disease and mortality.

Definition. The percentage of New Mexicans with and without health insurance coverage, and by type of coverage at the time of the survey.

Data Sources. U.S. Census Bureau, Small Area Health Insurance Estimates, <http://www.census.gov/did/www/sahie/data/>.

PHD offers service to the uninsured and connects clients with Medicaid coverage where possible. **Children's Medical Services** is a combination of direct service, surveillance and prevention programs. The Children and Youth with Special Health Care Needs Program provides services for the prevention, diagnosis, treatment and surveillance of chronic medical conditions in children under the age of 21. **Office of School and Adolescent Health** works with communities, schools and organizations to develop systems of care for New Mexico students that incorporate primary care and behavioral health, and by promoting activities that reduce health and social barriers to learning. A school-based health center is a unique health service delivery site that becomes an integral part of the school. **Office of Oral Health** works to promote oral health for children and adults, and to prevent dental diseases through select interventions and strategies. Staff work to develop sound public policy, resources, and to expand access to oral health care. **Office of Rural and Primary Health Care** provides support to eligible community-based organizations in order to sustain a minimum level of primary health care services in health care underserved areas (HCUAs) and to enable the development of new primary health care centers. **Breast and Cervical Cancer Prevention and Screening Program** provides age-appropriate comprehensive breast and cervical cancer screening and diagnostic services to eligible low-income women statewide.

Immunization: Influenza Vaccination

Why Is It Important? Most of the deaths and serious illnesses caused by influenza and pneumococcal disease occur in older adults and others at increased risk for complications of these diseases because of other risk factors or medical conditions.

Definition. The estimated percentage of New Mexico adults age 65 and older with a current influenza immunization from the Behavioral Risk Factor Surveillance System.

Data Sources. Behavioral Risk Factor Surveillance System Survey Data, U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, together with New Mexico Department of Health, Injury and Behavioral Epidemiology Bureau.

Adult Influenza Vaccination Program provides annual influenza vaccination for adults identified as high-risk for complications from influenza infection. Influenza vaccine is targeted to those who are uninsured, or face other barriers in getting this important protection.

Immunization Program is focused on one compelling goal--to immunize age appropriately 90% of all children and at-risk adults. Services include: Vaccines for all New Mexican children, Hepatitis and tetanus/diphtheria vaccine for high risk adults age 19 and over, Influenza and pneumococcal vaccine for eligible seniors over age 65, informational resources, including information on vaccine safety, vaccine administration, and ways to improve immunization rates in provider offices, training on vaccine administration and practices, and information on where to obtain vaccinations.

Prenatal Care in the First Trimester

Why Is It Important? Women who receive early and consistent prenatal care enhance their likelihood of giving birth to a healthy child.

Definition. The percentage of live births in the reporting period for which prenatal care was received in the first trimester. U.S. Value is for 2008, and represents only states using the 2003 standard birth certificate version.

Data Sources. Birth Certificate Data, Bureau of Vital Records and Health Statistics (BVRHS), New Mexico Department of Health.

Maternal Health Program assures that pregnant women have access to health care, and promotes optimal birth outcomes and perinatal care. This program administers prenatal care program for uninsured women and safety net cases. In addition, it provides technical assistance and funds to Public Health Offices that give prenatal care when it is not available in the area.

Primary Care Provider Ratio

Why Is It Important? Lower numbers represent better access to primary care.

Definition. The ratio of the population size to the number of primary care providers.

Data Sources. Health Resources and Services Administration (HRSA), Area Resource File.

Children (Under Age 18) Living in Poverty

Why Is It Important? Poverty in the early years of a child's life, more than at any other time, has especially harmful effects on continuing healthy development and well-being. Well-being in later childhood, such as teen pregnancy, substance abuse, and educational attainment, are also influenced by early childhood poverty.

Definition. The estimated percentage of children under age 18 living in households whose income is at or below the federal poverty level. The poverty level for a family of four in 2009 was \$22,050.

Data Sources. U.S. Census Bureau, Data Integration Division, Small Area Estimates Branch, Small Area Income and Poverty Estimates (SAIPE). Table prepared by: Bureau of Business and Economic Research, University of New Mexico.

Unemployment Rate

Why Is It Important? Household income is strongly related to health status for all persons in the household. In addition, common reasons for unemployment include chronic mental or physical illness that limits a person's ability to work.

Definition. The percentage of the civilian labor force that was not employed and seeking employment.

Data Sources. New Mexico Department of Workforce Solutions, 401 Broadway NE, Albuquerque NM 87102. Phone: (505)841-8645. Website: www.dws.state.nm.us

New Mexico High School Graduation Rate

Why Is It Important? Education level is strongly related to health status.

Definition. The rate of students who began high school as a 9th grader and who then proceeded to graduate from high school 4 or 5 years later. In the case of transfers between school districts, a student's outcome was proportionally distributed among all school districts contributing to that student's outcome.

Data Sources. New Mexico Public Education Department, Jerry Apodaca Education Building, 300 Don Gaspar, Santa Fe NM 87501. Phone: (505)827-5800. Website: www.ped.state.nm.us

For more information, please visit the New Mexico Indicator-based Information System for Public Health (NM-IBIS)

<http://ibis.health.state.nm.us>, or call the New Mexico Department of Health, 505-827-5274 (Lois Haggard, Community Health Assessment Program).